```
A
                            APPENDIX
                           Least Square Lattice
                                                 ****
                             Noise Cancelling
 /* Example for ratiometric approach to noise cancelling */
 #define LAMBDA 0.95
 void OxiLSL_NC( int
                        reset,
                int
                        passes,
                int
                        *signal 1,
               .int
                        *signal 2,
                int
                        *signal 3,
                int
                        *target 1,
                int
                        *target 2) {
        int
                i, ii, k, m, n, contraction;
 static
        int
                *s_a, *s_b, *s_c, *out_a, *out_c;
static float
                Delta_sqr, scale, noise_ref;
 if ( reset == TRUE) {
   s_a
          = signal_1;
  s_b
          = signal_2;
          = signal_3;
  S C
   out_a = target_1;
   out c = target
# factor = 1.5;
scale = 1.0 /4160.0;
  * noise canceller initialization at time t=0 */
= nc(0).berr = 0.0;
  nc[0].Gamma = 1.0;
  for(m=0; m<NC_CELLS; m++) {
    nc(m).err a
                 = 0.0;
    nc[m].err b
                  = 0.0;
    nc[m].Roh a
                  = 0.0;
Ф
    nc[m].Roh c
                  = 0.0;
    nc[m].Delta
                  = 0.0;
    nc(m).Fswsqr
                 = 0.00001;
    nc(m).Bswsqr = 0.00001;
}
/*=============== END INITIALIZATION -----
for(k=0; k<passes; k++){</pre>
  contraction = FALSE;
  for(m=0; m< NC_CELLS; m++) {
                                      /* Update delay elements
    nc(m).berr1 = nc(m).berr;
    nc(m).Bswsqr1 = nc(m).Bswsqr;
  noise ref
             = factor * log(1.0 - (*s a) * scale)
             - \log(1.0 - (*s_b) * scale);
  nc[0].err_a = log(1.0 - (*s_b) * scale);
  nc[0].err_b = log(1.0 - (*s_c) * scale);
```

```
++s_a;
++s_b;
++s_c;
            = noise_ref ;
nc[0].ferr
nc(0).berr = noise_ref;
nc[0].Fswsqr = LAMBDA * nc[0].Fswsqr + noise_ref * noise_ref;
nc(0).Bswsqr = nc(0).Fswsqr;
/* Order Update
for(n=1;( n < NC_CELLS) && (contraction == FALSE); n++) {
  /* Adaptive Lattice Section */
 m = n-1;
  ii=n-1;
 nc(m).Delta *= LAMBDA;
 nc(m).Delta += nc(m).berr1 * nc(m).ferr / nc(m).Gamma;
              = nc(m).Delta * nc(m).Delta;
  Delta_sqr
              = -nc(m).Delta / nc(m).Bswsqr1;
 nc[n].fref
              = -nc(m).Delta / nc(m).Fswsqr;
 nc[n].bref
                 nc(m).ferr + nc(n).fref * nc(m).berr1;
 nc(n).ferr
                 nc[m].berr1 + nc[n].bref * nc[m].ferr;
 nc(n).berr
 nc(n).Fswsqr = nc(m).Fswsqr - Delta_sqr / nc(m).Bswsqr1;
 nc[n].Bswsqr = nc[m].Bswsqr1 - Delta_sqr / nc[m].Fswsqr;
  if (nc[n].Fswsqr + nc[n].Bswsqr) > 0.00001 | (n < 5) ) {
   nc(n).Gamma = nc(m).Gamma - nc(m).berr1 * nc(m).berr1 / nc(m).Bswsqr1;
    if (nc[n].Gamma < 0.05) nc[n].Gamma = 0.05;
    if(nc[n].Gamma > 1.00) nc[n].Gamma = 1.00;
  /* Joint Process Estimation Section */
   nc(m).Roh_a *= LAMBDA;
   nc(m).Roh_a += nc(m).berr * nc(m).err_a / nc(m).Gamma;
   nc[m].k a = nc[m].Roh_a / nc[m].Bswsqr;
   nc[n].err a = nc[m].err a - nc[m].k_a * nc[m].berr;
   nc[m].Roh c *= LAMBDA;
   nc(m).Roh_c += nc(m).berr * nc(m).err_b / nc(m).Gamma ;
              = nc(m).Roh_c / nc(m).Bswsqr;
   nc[m].k c
   nc(n).err_b = nc(m).err_b - nc(m).k_c * nc(m).berr;
 else { .
   contraction = TRUE;
   for(i=n; i<NC_CELLS; i++) {</pre>
                   = 0.0;
     nc[i].err a
                   = 0.0;
     nc[i].Roh a
     nc(i).err_b
                   = 0.0;
     nc[i].Roh c
                   = 0.0;
     nc[i].Delta
                   = 0.0;
                  = 0.00001;
     nc(i).Fswsqr
     nc(i).Bswsqr = 0.00001;
     nc[i].Bswsqr1 = 0.00001;
```